



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/239,016	01/29/1999	MASAMICHI ITO	35.C13284	5590
5514	7590	01/26/2006	EXAMINER	
FITZPATRICK CELLA HARPER & SCINTO			POON, KING Y	
30 ROCKEFELLER PLAZA			ART UNIT	
NEW YORK, NY 10112			PAPER NUMBER	

2624

DATE MAILED: 01/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/239,016	Applicant(s) ITO, MASAMICHI	
	Examiner King Y. Poon	Art Unit 2624	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 December 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,5,6,9,10 and 13-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,5,6,9,10 and 13-18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 17 March 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/7/2005 has been entered.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --
(e) the invention was described in
(1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or except that an international application filed under the treaty defined in section 351 (a) shall have the effects under this subsection of a national application published under 122(b) only if the international application designating the United States was published under Article 21(2)(a) of such treaty in the English language; or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that a patent shall not be deemed filed in the United States for the purposes of this subsection based on the filing of an international application filed under the treaty defined in section 351(a).

3. Claims 1, 2, 5, 6, 9, 10, 13-18 are rejected under 35 U.S.C. 102(e) as being anticipated by Rhoads (US 6,122,403).

Regarding claim 1: Rhoads teaches an image capture device (the computer that is to reproducing an image, such as a video, column 72, lines 15-23, with added watermarks, column 69, lines 49-56) which records data of a captured image on a recording medium (the recording medium that stores the image file, column 69, lines 50-

Art Unit: 2624

60; since the computer is loaded with the image file, inherently, the computer must process a memory for storing the image file to prevent the image file from being lost) comprising: an image capture unit (the computer software that capture the image read in from a CD ROM or Internet, column 69, lines 50-55, column 73, lines 55-60, that would prevent the image from getting out of the computer or losing from the computer) adapted to capture an image; a specific information generation unit (the computer program that generates data of a logo that is being stored in a file of the computer, column 68, lines 40-45 or other information that can be generated. e.g., messages or user's name etc, used as watermark data, column 69, lines 10-30, column 73, lines 15-50) adapted to generate specific information (e.g., ID, adult content information, logo, copyright symbol, column 73, lines 25-50, column 69, line 66; or noise signal, fig. 47, 972, fig. 24) for image data of the captured image; a recording unit adapted to record the image data and the specific information on a recording medium (the recording medium in the computer that stores the image file, column 69, lines 50-60 and the symbol, column 69, line 66, or the created watermark to be embedded etc; note: watermark information is entered by a user and in order to prevent losing the watermark data before the watermark data are sent to a writer, column 69, lines 32-35, the to be embedded watermark data must be inherently stored in the recording medium), the image data and specific information are recorded on different areas of the recording medium (inherent properties of storing data in a memory, all data are stored in different areas); a reproducing unit (the computer program that provides a watermarked image and image data from the memory and to a writer, column 73, lines 55-60,) adapted to

Art Unit: 2624

reproduce the image data and the specific information from the different areas of the recording medium (the memory of the computer that is storing the image file, column 69, lines 49-56); and an embedding unit (writer, column 69, line 34) adapted to embed specific information (e.g., Creator ID, column 69, line 42) reproduced from the recording medium (open an video or noise signal, fig. 47, fig. 51) into the image data reproduced from the recording medium (open an image, column 73, lines 55-60) using a digital watermarking technique (column 69, lines 32-35); and a control unit (the program of the computer that sense the OK selection and embedded the watermark into image data, column 73, lines 45-50, or cancel the process, and the software that downloads the image file to a local computer, column 69, lines 49-55, column 72, lines 50-55) adapted to provide the specific information reproduced from the recording medium and the image data reproduced from the recording medium (as previously discussed, the watermark and the image data are stored in the recording medium before being embedded) to the embedding unit (embed the watermark, column 73, lines 45-50) if a first OK process is selected, and avoid providing the specific information reproduced from the recording medium and the image data reproduced from the recording medium to the embedding unit if a second process (abort the process, column 73, lines 45-50) is selected by the user.

Regarding claim 2: Rhoads teaches the image capture device further comprising decompressing unit (recompress, column 71, lines 10-15, indicates the image has been compressed before, also see decompression, abstract, column 34, lines 25-35; inherently, all decompression must require a decompressing unit) adapted to

Art Unit: 2624

decompress the image data reproduced from the recording medium, wherein the embedding unit is adapted to embed the specific information into the decompressed image data. (Column 71, lines 10-15).

Regarding claims 13: Rhoads teaches wherein the specific information generation unit generates the specific information when the image is captured (column 69, lines 50-56, column 72, lines 49-50).

Regarding claim 16: Rhoads teaches the apparatus further comprising an outputting unit adapted to output the image data to an external, wherein if the first process is selected, the outputting unit outputs the image data including the specific information to the external destination, and if the second process is selected, the outputting unit outputs the image data excluding the specific information to the external destination (column 72, lines 50-55).

Regarding claims 5, 6, 14, 17: Claims 5, 6, 14, 17 are claiming method steps for the apparatus discussed in claims 1, 2, 13, 16. Please see discussion on claims 1, 2, 13, 16.

Regarding claims 9, 10, 15, 18: Rhoads teaches to use a computer, running software programs (column 67, lines 55-62) for carrying out the method steps discussed in claims 1, 2, 13, 16. It is inherent that a software program is stored in a storage program.

Response to Arguments

4. Applicant's arguments filed on 12/7/2005 have been fully considered but they are not persuasive.

With respect to applicant's argument that Rhoads does not teach an image capture device having 1) recording the image data and the specific information on different areas of the recording medium, 2) reproducing the image data and the specific information from the different areas of the recording medium, and 3) in accordance with whether a first or second process is selected by a user, providing or avoiding providing the specific information and image data reproduced from the recording medium to an embedding unit, has been considered.

In reply: Rhoads teaches a specific information generation unit (the computer program that generates data of a logo that is being stored in a file of the computer, column 68, lines 40-45 or other information that can be generated. e.g., messages or user's name etc, used as watermark data, column 69, lines 10-30, column 73, lines 15-50) adapted to generate specific information (e.g., ID, adult content information, logo, copyright symbol, column 73, lines 25-50, column 69, line 66; or noise signal, fig. 47, 972, fig. 24) for image data of the captured image; a recording unit adapted to record the image data and the specific information on a recording medium (the recording medium in the computer that stores the image file, column 69, lines 50-60 and the symbol, column 69, line 66, or the created watermark to be embedded etc; note: watermark information is entered by a user and in order to prevent losing the watermark data before the watermark data are sent to a writer, column 69, lines 32-35, the to be

Art Unit: 2624

embedded watermark data must be inherently stored in the recording medium), the image data and specific information are recorded on different areas of the recording medium (inherent properties of storing data in a memory, all data are stored in different areas); a reproducing unit (the computer program that provides a watermarked image and image data from the memory and to a writer, column 73, lines 55-60,) adapted to reproduce the image data and the specific information from the different areas of the recording medium (the memory of the computer that is storing the image file, column 69, lines 49-56); and an embedding unit (writer, column 69, line 34) adapted to embed specific information (e.g., Creator ID, column 69, line 42) reproduced from the recording medium (open an video or noise signal, fig. 47, fig. 51) into the image data reproduced from the recording medium (open an image, column 73, lines 55-60) using a digital watermarking technique (column 69, lines 32-35); and a control unit (the program of the computer that sense the OK selection and embedded the watermark into image data, column 73, lines 45-50, or cancel the process, and the software that downloads the image file to a local computer, column 69, lines 49-55, column 72, lines 50-55) adapted to provide the specific information reproduced from the recording medium and the image data reproduced from the recording medium (as previously discussed, the watermark and the image data are stored in the recording medium before being embedded) to the embedding unit (embed the watermark, column 73, lines 45-50) if a first OK process is selected, and avoid providing the specific information reproduced from the recording medium and the image data reproduced from the recording medium

Art Unit: 2624

to the embedding unit if a second process (abort the process, column 73, lines 45-50) is selected by the user.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to King Y. Poon whose telephone number is 571-272-7440. The examiner can normally be reached on Mon-Fri 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Moore can be reached on 571-272-7437. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

January 21, 2006



**KING Y. POON
PRIMARY EXAMINER**